Page 1/10

# DÖRKEN

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

**1.1 Product identifier** 

Trade name: DELTA® Fensterdeck 6.07

Version number 02-00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Revision: 03.11.2021

# 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Coating agent Uses advised against This product is not suitable for uses other than those specified in the "Use of the substance/mixture". If your particular manner of use is not listed, please contact the creator of this safety data sheet. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Dörken Coatings GmbH & Co. KG Wetterstr. 58 58313 Herdecke Germany www.doerkencoatings.de Phone: +49 2330 63 243 Fax: +49 2330 63 100 243 Further information obtainable from: msds.coatings@doerken.de 1.4 Emergency telephone number: Australia: 61-290372994 United Kingdom: 44-870-8200418 and 44-2038073798 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void **Precautionary statements** P280 Wear protective gloves. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2methyl-2H-isothiazol-3-one (3:1), benzotriazole derivatives (mix). May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. (Contd. on page 2) DE/EN



according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

(Contd. of page 1)

### Trade name: DELTA® Fensterdeck 6.07

2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

#### \*

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

CAS: 13463-67-7	Titanium dioxide	≥1-≤25%
EINECS: 236-675-5	Carc. 2, H351	
Reg.nr.: 01-2119489379-17-xxxx		
CAS: 7429-90-5	aluminium powder (stabilised)	1-10%
EINECS: 231-072-3	Flam. Sol. 1, H228; Water-react. 2, H261	
CAS: 111-90-0	Diethylene glycol monoethyl ether	<2.5%
EINECS: 203-919-7	Eye Irrit. 2, H319	
Reg.nr.: 01-2119475105-42-xxxx		
CAS: 112-34-5	2-(2-Butoxyethoxy)ethanol	<2.5%
EINECS: 203-961-6	Eye Irrit. 2, H319	
Reg.nr.: 01-2119475104-44-xxxx		

Additional information: For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures** 

### 4.1 Description of first aid measures

### **General information:**

In all cases of doubt, or when symptoms persist, seek medical advice.

Soiled, soaked clothes immediately take off.

Never give anything by mouth to an unconscious person.

After inhalation: Supply fresh air; consult doctor in case of complaints.

### After skin contact:

Wash with plenty of soap and water.

In case of skin reactions consult a physician. Do not scratch.

### After eye contact:

Remove contact lenses. Keep eye lids open and rinse plentifully for at least 10 minutes with clean running water. Subsequently consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an opthalmologist.

#### After swallowing:

Rinse out mouth and then drink plenty of water. Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

(Contd. of page 2)

### Trade name: DELTA® Fensterdeck 6.07

### **4.3 Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing agents:

Extinguishing powder, foam, carbon dioxide. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet

### 5.2 Special hazards arising from the substance or mixture

Fire will produce dangerous decomposition products like dense, black smoke, carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO) and nitrogen oxides (NOx). Inhalation may cause serious health damage. Under certain fire conditions, traces of other toxic gases cannot be excluded.

### 5.3 Advice for firefighters

### **Protective equipment:**

Wear self-contained respiratory protective device. Wear fully protective suit.

### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid contact with skin and eyes.

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Keep contaminated washing water and dispose of appropriately.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

### 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

# Trade name: DELTA® Fensterdeck 6.07

(Contd. of page 3)

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid the handling of incompatible substances and mixtures. Incompatible substances: see section 10.5

# 7.2 Conditions for safe storage, including any incompatibilities Storage:

Storage:

### Requirements to be met by storerooms and receptacles:

Make sure spills can be contained, e.g. in sump pallets.

Protect from frost, heat and direct sunlight. Keep tightly closed, cool and dry.

### Information about storage in one common storage facility:

Note the rules for common storage in accordance with TRGS 510 - "Storage of hazardous substances in transportable containers".

Store away from foodstuffs.

Further information about storage conditions: None.

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Additional information about design of technical facilities:

Ensure a good ventilation. This can be achieved by local exhaustion or general exhaust air.

### Ingredients with limit values that require monitoring at the workplace:

### 111-90-0 Diethylene glycol monoethyl ether

AGW (Germany) Long-term value: 35 mg/m<sup>3</sup>, 6 ppm 2(I);AGS, Y, 11

### 112-34-5 2-(2-Butoxyethoxy)ethanol

AGW (Germany) Long-term value: 67 mg/m<sup>3</sup>, 10 ppm 1.5(I);EU, DFG, Y, 11 IOELV (EU) Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

### **Regulatory information**

AGW (Germany): TRGS 900

IOELV (EU): (EU) 2019/1831

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls Provide good ventilation and/or an exhaust system in the work area.

Personal protective equipment:

### General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Do not eat, drink, smoke or sniff while working.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

# Trade name: DELTA® Fensterdeck 6.07

Use skin protection cream for skin protection.

### **Respiratory protection:**

Use always breathing protection with splashing medium. Use combination filter type A(-P2) according to EN 141.

### Protection of hands:

### Material of gloves

### Nitrile rubber

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### Eye protection:

Tightly sealed safety goggles are to be worn during all work, in accordance with EN 166. Professional Cooperative Rules - BGR 192 Use of eye and face protection

Body protection: Impervious protective clothing

9.1 Information on basic physical General Information	l and chemical properties	
Appearance:		
Form:	Fluid	
Colour:	Different according to colouring	
Odour:	Weak after glycol ethers	
Odour threshold:	For mixtures not applicable.	
pH-value:	Slightly alkaline	
Change in condition		
Melting point/Freezing point:	Not security-related.	
Initial boiling point and boiling	range: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Not applicable.	
Decomposition temperature:	For mixtures not applicable.	
Auto-ignition temperature:	Product is not selfigniting.	

(Contd. of page 4)





according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

### Trade name: DELTA® Fensterdeck 6.07

	(Contd. of page	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidising properties	In its condition as supplied, the product is neither flammable nor oxidising.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.05 g/cm <sup>3</sup>	
Vapour density	Not applicable.	
Evaporation rate	For mixtures not applicable.	
Solubility in / Miscibility with		
water:	Miscible / waterdilutable.	
polar solvents:	Partly miscible.	
non-polar solvents:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	For mixtures not applicable.	
Viscosity:	Not security-related.	
9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reactions are known.

No further relevant information available.

**10.2 Chemical stability** Product is stable under normal storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

No dangerous reactions are known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: strong oxidizing agents

**10.6 Hazardous decomposition products:** 

In case of fire arise: smoke and carbon oxides. Under certain fire conditions tracks of other toxic products can not be excluded.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### Acute toxicity

The product is not tested as one of the above but rather is classified according to the conventional method (calculation procedure set out in the EU Regulation (EC) No 1272/2008) and according to the toxicological risks. See chapters 2 and 3 for detail.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

(Contd. of page 6)

DÖRKEN

# Trade name: DELTA® Fensterdeck 6.07

### LD/LC50 values relevant for classification:

There are no statements/information available of the preparation. **Specific symptoms in biological assay:** 

Specific symptoms in biological assay.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

The product contains sensitising substances that could cause allergic reactions (see sections 2 and 3).

Additional toxicological information:

### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product is not classified as carcinogenic, mutagenic or toxic to reproduction (CMR properties). Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

### Aspiration hazard

The mixture contains no or only small amounts of materials which are classified as an aspiration hazard. It can therefore be assumed that the mixture is not an aspiration hazard.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity:

# benzotriazole derivatives (mix)

EC <sub>50</sub> / 48 h	4 mg/l (Daphnia magna (big water flea))		
EC₅₀ / 72 h	>100 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		
LC₅₀ / 96 h	2.8 mg/l (Oncorhynchus mykiss (rainbow trout)) (OECD 203; ISO 7346; 84/449/EWG)		
NOEC / 21 d	0.78 mg/l (Daphnia magna (big water flea)) (OECD 202)		
124-68-5 2-a	mino-2-methylpropanol		
EC <sub>50</sub> / 48 h	193 mg/l (Daphnia magna (big water flea))		
EC₅₀ / 72 h	522 mg/l (algae)		
LC₅₀ / 96 h	184 mg/l (Pleuronectes platessa (European plaice))		
12.2 Persiste	ence and degradability		
124-68-5 2-a	mino-2-methylpropanol		
OECD 301F	Manometric Respiratory Test 89.3 % (28d)		
	readily biodegradable		

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

### Trade name: DELTA® Fensterdeck 6.07

	(Contd. of pa
12.3 Bioaccumulative potential	
124-68-5 2-amino-2-methylpropanol	
OECD 107 Log Kow (shake flask method)	(n-octanol/water) -0,63
<b>12.4 Mobility in soil</b> No further relevant in <b>Ecotoxical effects:</b>	formation available.
Behaviour in sewage processing plants	;:
benzotriazole derivatives (mix)	
EC <sub>50</sub> / 3 h >1,000 mg/l (activated sludge o	

### 12.5 Results of PBT and vPvB assessment

This product does not contain relevant substances that have been assessed as persistent, bioaccumulative and toxic (PBT) or as very persistent and very bioaccumulative (vPvB). PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

### European waste catalogue

08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances HP7 Carcinogenic

14.2 UN proper shipping name		
UN-Number		
ADR, ADN, IMDG, IATA	Void	
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	



according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

(Contd. of page 8)

### Trade name: DELTA® Fensterdeck 6.07

14.5 Environmental hazards:

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

UN "Model Regulation":

Void

Not applicable.

Not applicable.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Observe employment restrictions concerning young persons.

Observe employment restrictions for expectant or nursing mothers.

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Labelling according to Regulation (EC) No 2004/42

VOC limit 2010 for category d (WB): 130 g/l. This product contains max 130 g/l VOCs.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The given conditions of work of the user extract themselves from our knowledge and control. The product/the preparation may be used without written permission for no other use, than the mentioned intended purpose. The user is responsible for the observance of all necessary legal instructions.

This Safety Data Sheet replaces all previous versions. With the newest version in each case, the preceding Safety Data Sheets are set out of strength.

For further information please consult the "Technical Data Sheet".

according to 1907/2006/EC, Article 31

Printing date 03.11.2021

Version number 02-00

Revision: 03.11.2021

DÖRKEN

# Trade name: DELTA® Fensterdeck 6.07

•	e damage to health and environment.
Labelling accord	ing to regulation (EC) No 528/2012
Additional inform	nation:
Contains biocidal	products: Preservatives for products during storage.
	zisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H 3:1), benzotriazole derivatives (mix). May produce an allergic reaction.
Safety data sheet	available on request.
Warning! Hazard	ous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
<b>Relevant phrase</b>	5
H228 Flammable	solid.
H261 In contact w	ith water releases flammable gases.
H319 Causes ser	ous eye irritation.
H351 Suspected	of causing cancer.
Abbreviations a	id acronyms:
Flam. Sol. 1: Flamma	ple solids – Category 1
	ances and mixtures which in contact with water emit flammable gases – Category 2
	e damage/eye irritation – Category 2
Carc. 2: Carcinogenic	to the previous version altered.