

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: LUCITE® 092 Algisan

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

**Biocide** 

For industrial or professional use only.

# Uses advised against

This product is not suitable for uses other than those specified in the "Use of the substance/mixture". If your particular manner of use is not listed, please contact the creator of this safety data sheet.

# 1.3 Details of the supplier of the safety data sheet

# Manufacturer/Supplier:

Dörken Coatings GmbH & Co. KG Wetterstr. 58 58313 Herdecke

Germany

www.doerkencoatings.de

Phone: +49 2330 63 243 Fax: +49 2330 63 100 243

Further information obtainable from: msds.coatings@doerken.de

#### 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number):

GBK GmbH +49 (0)6132-84463

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 1)

# **Hazard pictograms**





#### Signal word Warning

# Hazard-determining components of labelling:

2-octyl-2H-isothiazol-3-one

#### **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

#### 2.3 Other hazards

# Results of PBT and vPvB assessment

**PBT:** Not applicable. vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous	components:

2,2'-oxybisethanol CAS: 111-46-6 EINECS: 203-872-2 Acute Tox. 4, H302

(Contd. on page 3)

5-10%



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

	(Contd.	of page 2)
CAS: 68424-85-1 EINECS: 270-325-2	Skiii Seii: 12, 11611, 236 Baiii: 1, 11616, 14 quade Giii Giii 1, 11116 (iii 1),	1-<3%
CAS: 26530-20-1	Acute Tox. 4, H302 2-octyl-2H-isothiazol-3-one	0.1-1%
EINECS: 247-761-7	H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071	
	ATE: LD <sub>50</sub> oral: 125 mg/kg LD <sub>50</sub> dermal: 311 mg/kg	
	LC <sub>50</sub> / 4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	

Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General information:**

In all cases of doubt, or when symptoms persist, seek medical advice.

Soiled, soaked clothes immediately take off.

Never give anything by mouth to an unconscious person.

# After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

# After eye contact:

Remove contact lenses. Keep eye lids open and rinse plentifully for at least 10 minutes with clean running water. Subsequently consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an opthalmologist.

#### After swallowing:

Rinse mouth thoroughly with water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

After eye contact: May cause irritations.

# 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

DE/EN

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 3)

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing agents:

Extinguishing powder, foam, carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

# 5.2 Special hazards arising from the substance or mixture

Fire will produce dangerous decomposition products like dense, black smoke, carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO) and nitrogen oxides (NOx). Inhalation may cause serious health damage.

Under certain fire conditions, traces of other toxic gases cannot be excluded.

#### 5.3 Advice for firefighters

# **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin and eyes.

# 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Keep contaminated washing water and dispose of appropriately.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

# 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid prolonged, intensive skin contact and contact with the eyes.

Avoid the handling of incompatible substances and mixtures. Incompatible substances: see section 10.5

Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 4)

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

### Requirements to be met by storerooms and receptacles:

Make sure spills can be contained, e.g. in sump pallets.

Protect from frost, heat and direct sunlight. Keep tightly closed, cool and dry.

### Information about storage in one common storage facility:

Note the rules for common storage in accordance with TRGS 510 - "Storage of hazardous substances in transportable containers".

Store away from foodstuffs.

Further information about storage conditions: None.

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

# Ingredients with limit values that require monitoring at the workplace:

### 111-46-6 2,2'-oxybisethanol

AGW (Germany) Long-term value: 44 mg/m³, 10 ppm 4(II);DFG, Y, 11

Regulatory information AGW (Germany): TRGS 900

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls Provide good ventilation and/or an exhaust system in the work area.

#### Appropriate engineering controls

Ensure a good ventilation. This can be achieved by local exhaustion or general exhaust air.

# Individual protection measures, such as personal protective equipment

# General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.

# Respiratory protection:

Breathing protection is always required when spraying.

Use combination filter A2(-P2) according to EN 14387.

#### Hand protection

Work with gloves. Gloves must be inspected for damage before use. Defective or damaged gloves must not be used. Gloves must satisfy the specifications of EC directive 89/686/EWG and standard EN 374. It is recommended to use long gloves to minimize contact by splashing.

# **Material of gloves**

Nitrile rubber

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 5)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### Eye/face protection

Tightly sealed safety goggles are to be worn during all work, in accordance with EN 166.

Have eye wash bottle or eye rinse ready at work place.

Professional Cooperative Rules - BGR 192 Use of eye and face protection

Body protection: Impervious protective clothing

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid
Colour: Yellowish
Odour: Mild

Odour threshold:

Melting point/Freezing point:

Not applicable for mixtures.

Not security-related.

Boiling point or initial boiling point and boiling

range ~100 °C (H₂O, 7732-18-5 water)

Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.Auto-ignition temperature:Not applicable.

**Decomposition temperature:** For mixtures not applicable.

pH at 20 °C 4-4.5

Viscosity: Not security-related.

Solubility

water: Miscible / waterdilutable.

polar solvents: Partly miscible.

non-polar solvents:

Partition coefficient n-octanol/water (log value)

Vapour pressure at 20 °C:

Not miscible or difficult to mix.

For mixtures not applicable.

23 hPa (H<sub>2</sub>O, 7732-18-5 water)

Density and/or relative density

**Density at 20 °C:** 1-1.01 g/cm³ **Vapour density** Not applicable.

(Contd. on page 7)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 6)

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

**Ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

Change in condition Softening point/range

Oxidising properties In its condition as supplied, the product is neither

flammable nor oxidising.

**Evaporation rate** For mixtures not applicable.

Information with regard to physical hazard

classes

**Explosives** Void Flammable gases Void Void **Aerosols** Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void **Corrosive to metals** Void **Desensitised explosives** Void

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- **10.2 Chemical stability** Product is stable under normal storage conditions.
- 10.3 Possibility of hazardous reactions

No dangerous reactions known.

No dangerous reactions are known.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: strong oxidizing agents

(Contd. on page 8)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 7)

### 10.6 Hazardous decomposition products:

In case of fire arise: smoke and carbon oxides. Under certain fire conditions tracks of other toxic products can not be excluded.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

# LD/LC50 values relevant for classification:

The quoted data are literature values and/or manufacturer/supplier data.

111-46-6 2	111-46-6 2,2'-oxybisethanol		
Oral	LD <sub>50</sub>	12,600 mg/kg (rat)	
Dermal	LD <sub>50</sub>	11,900 mg/kg (rabbit)	
68424-85-	68424-85-1 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides		
Oral	LD <sub>50</sub>	500 mg/kg (ATE)	
26530-20-	26530-20-1 2-octyl-2H-isothiazol-3-one		
Oral	LD <sub>50</sub>	550 mg/kg (rat)	
		125 mg/kg (ATE)	
Dermal	$LD_{50}$	690 mg/kg (rat)	
		311 mg/kg (ATE)	
Inhalative	LC <sub>50</sub> / 4 h	0.27 mg/l (ATE)	

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

# Respiratory or skin sensitisation

May cause an allergic skin reaction.

68424-85-1 Quaternary ammonium comp	ounds, benzyl-C12-16-alkyldimethyl, chlorides
Sensitisation OECD 406 (MKA)	(guinea pig)
26530-20-1 2-octyl-2H-isothiazol-3-one	
Sensitisation EC <sub>3</sub> (local lymph node assay)	0.46 (mouse) (OECD 429) sensitising

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

The mixture contains no or only small amounts of materials which are classified as an aspiration hazard. It can therefore be assumed that the mixture is not an aspiration hazard.

Based on available data, the classification criteria are not met.

(Contd. on page 9)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 8)

# Additional toxicological information:

#### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product is not classified as carcinogenic, mutagenic or toxic to reproduction (CMR properties).

11.2 Information on other hazards

# **Endocrine disrupting properties**

None of the ingredients is listed.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

#### Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Very toxic to aquatic life.

111-46-6 2,2'	111-46-6 2,2'-oxybisethanol	
LC₅₀ / 96 h	75,200 mg/l (Pimephales promelas (fathead minnow))	
26530-20-1 2-octyl-2H-isothiazol-3-one		
EC <sub>50</sub> / 48 h	0.42 mg/l (Daphnia magna (big water flea)) (OECD 202)	
EC <sub>50</sub> / 72 h	0.084 mg/l (Scenedesmus subspicatus) (OECD 201)	
LC₅o / 96 h	0.036 mg/l (Oncorhynchus mykiss (rainbow trout)) (OECD 203)	
NOEC / 21 d	0.002 mg/l (daphnia) (OECD 211)	
NOEC / 28 d	0.022 mg/l (Oncorhynchus mykiss (rainbow trout)) (OECD 210)	
NOEC / 72 h	0.004 mg/l (algae) (OECD 201)	

12.2 Persistence and degradability	
68424-85-1 Quaternary ammonium compounds, ber	nzyl-C12-16-alkyldimethyl, chlorides
OECD 301D Closed-Bottle Test	>70 % (activated sludge organisms)
26530-20-1 2-octyl-2H-isothiazol-3-one	
OECD 309 Simulation Biodegradation - Sea Water	1.6-2.1 d (degradation half-life) rapidly biodegradable
OECD 309 Simulation Biodegradation - Surface Water	0.6-1.4 d (degradation half-life) rapidly biodegradable

12.3 Bioaccumulative potential	
68424-85-1 Quaternary ammonium com	pounds, benzyl-C12-16-alkyldimethyl, chlorides
OECD 107 Log Kow (shake flask method) 2.88 (n-octanol/water)	
26530-20-1 2-octyl-2H-isothiazol-3-one	
OECD 117 Log Kow (HPLC method)	2.92 (n-octanol/water)

12.4 Mobility in soil No further relevant information available.

# 12.5 Results of PBT and vPvB assessment

This product does not contain relevant substances that have been assessed as persistent, bioaccumulative and toxic (PBT) or as very persistent and very bioaccumulative (vPvB).

(Contd. on page 10)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 9)

PBT: Not applicable. vPvB: Not applicable.

### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

Behaviour in sewage processing plants:		
68424-85-1 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides		
l -	>90 % (activated sludge organisms) (HPLC) rapid biodegradable	
EC <sub>20</sub> / 0,5 h	5 mg/l (activated sludge organisms) (OECD 209)	
26530-20-1 2-octyl-2H-isothiazol-3-one		
OECD 303A Activated Sludge Units >83 % (activated sludge organisms)		
EC <sub>20</sub> / 0,5 h	10.4 mg/l (activated sludge organisms) (TTC-Test (8901 Macherey-Nagel))	
EC <sub>20</sub> / 3 h	7.3 mg/l (activated sludge organisms) (OECD 209)	

#### Other information:

### **General notes:**

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even small quantities leak into the ground.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue	
16 03 05*	organic wastes containing hazardous substances
HP14	Ecotoxic

# **SECTION 14: Transport information** 14.1 UN number or ID number ADR, IMDG, IATA UN3082 14.2 UN proper shipping name **ADR** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides, 2octyl-2H-isothiazol-3-one) **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE. LIQUID, N.O.S. (Quaternary ammonium compounds,

(Contd. on page 11)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 10)

benzyl-C12-16-alkyldimethyl, chlorides, 2-octyl-2H-

isothiazol-3-one), MARINE POLLUTANT

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides, 2-octyl-2H-

isothiazol-3-one)

14.3 Transport hazard class(es)

**ADR** 



Class 9 (M6) Miscellaneous dangerous substances and

articles.

Label

IMDG, IATA



Class 9 Miscellaneous dangerous substances and articles.

Ш

Label 9

14.4 Packing group ADR, IMDG, IATA

14.5 Environmental hazards:

Marine pollutant:Symbol (fish and tree)Special marking (ADR):Symbol (fish and tree)Special marking (IATA):Symbol (fish and tree)

**14.6 Special precautions for user**Warning: Miscellaneous dangerous substances and

articles.

Hazard identification number (Kemler code): 90
EMS Number: F-A,S-F
Stowage Category A

14.7 Maritime transport in bulk according to IMO

**instruments** Not applicable.

**Transport/Additional information:** 

ΔDR

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category 3

(Contd. on page 12)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 11) **Tunnel restriction code** (-)**IMDG** Limited quantities (LQ) 5L **Excepted quantities (EQ)** Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml **UN "Model Regulation":** UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES, 2-OCTYL-2H-ISOTHIAZOL-3-ONE), 9, III, (-)

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS** 

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Observe employment restrictions concerning young persons.

Observe employment restrictions for expectant or nursing mothers.

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

Labelling according to Regulation (EC) No 2004/42 Not applicable.

(Contd. on page 13)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

(Contd. of page 12)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The given conditions of work of the user extract themselves from our knowledge and control. The product/the preparation may be used without written permission for no other use, than the mentioned intended purpose. The user is responsible for the observance of all necessary legal instructions.

This Safety Data Sheet replaces all previous versions. With the newest version in each case, the preceding Safety Data Sheets are set out of strength.

For further information please consult the "Technical Data Sheet".

Misuse may cause damage to health and environment.

# Labelling according to regulation (EC) No 528/2012

**Additional information:** Do not use on wood which may come in direct contact with food and feeding stuff. **Relevant phrases** 

	•
H301	Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

# Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/irritation

Skin sensitisation

Hazardous to the aquatic environment - short-term

(acute) aquatic hazard

Hazardous to the aquatic environment - long-term

(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Date of previous version:** 22.06.2020 **Version number of previous version:** 03-01

Abbreviations and acronyms:

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 14)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.09.2024 Version number 04-00 (replaces version 03-01) Revision: 25.09.2024

Trade name: LUCITE® 092 Algisan

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

\* Data compared to the previous version altered.

(Contd. of page 13)

DE/EN